

Prevent Protect Promote Prevent Protect Promote Prevent
Prevent Protect Promote Prevent Protect Promote Prevent
Prevent Protect Promote Prevent Protect Promote Prevent

HIV/AIDS

UTAH - June 2007



George A. Usher, MPA - Program Manager

Leslie A. Clark, Information Analyst

Utah Department of Health • Bureau of Communicable Disease Control • HIV/AIDS Surveillance Program

Epidemiology

January through June 2007

- New AIDS cases: 35
 - 26% increase from June 2006 (9)
- New HIV cases: 45
 - 21% decrease from June 2006 (11)

Epidemiology: Incidence

January through June 2007

- Of the 80 persons with HIV/AIDS:
 - 90% are male (72)
 - 10% are female (8)
 - 53% were between the ages of 20-39 (42)

Incidence and Exposure: Men

January through June 2007

- Most common:
 - Men who have sex with men (49%)
- Second most common:
 - Men who have sex with men and inject drugs (15%)

*Twenty-five percent of men did not disclose risk.

Incidence and Exposure: Women January through June 2007

- Most commonly reported:
 - Heterosexual contact (38%)
 - Injecting drug use (38%)

*Twenty-five percent of women did not disclose risk.


Incidence: Reporting Sources

January through June 2007

- Of these 45 persons testing HIV positive during 2007:
 - 49% were reported through counseling and testing sites
 - 31% were reported through laboratory reports
 - 16% were reported through physician office visits
 - 4% were reported through other states

Incidence: by Residence at Diagnosis

January through June 2007



- 88% of 2007 cases live along the Wasatch Front
- 71% of 2006 cases live in Salt Lake County
- The majority of those living in rural areas, come to Salt Lake City for medical treatment.

Incidence: Gender/Ethnicity

January through June 2007

Race/Ethnicity	Male	Female
White	62%	75%
Black	8%	25%
Hispanic	25%	0%
Asian/Pacific Islander	0%	0%
Native American	3%	0%
Unknown	1%	0%
Total	100%	100%

- Ethnic minorities comprise 16% of Utah's Population
37% of those newly diagnosed with HIV or AIDS in 2007

* Percentages may not equal 100 due to rounding

Utah Department of Health • Bureau of Communicable Disease Control • HIV/AIDS Surveillance Program • 6/2007 Data


Epidemiology: Cumulative

Through June 2007

AIDS cases: 2,307

HIV (non-AIDS): 914

Total Utah HIV/AIDS Cases Through June 2007 by Year of Report




Cumulative by Demographic

Through June 2007

	AIDS	HIV
Gender	Male (90%) Female (10%)	Male (82%) Female (18%)
Age	30-39 (45%) 40-49 (26%)	20-29 (38%) 30-39 (37%)
Race	White (78%) Hispanic (13%) Black (7%)	White (70%) Hispanic (17%) Black (10%)
Exposure	MSM (61%) IDU (16%) MSM/IDU (9%) Hetero (6%)	MSM (53%) IDU (12%) MSM/IDU (13%) Hetero (9%)


Immerging Trends: Among Males by Risk Through June 2007



*Other includes hemophilia, transfusion/transplant and mother with HIV/HIV risk


Utah Department of Health • Bureau of Communicable Disease Control • HIV/AIDS Surveillance Program • 6/2007 Data

Immerging Trends: Among Females by Risk Through June 2007



*Other includes transfusion/transplant and mother with HIV/HIV risk

HIV/AIDS Among Black Persons by Country of Origin Through June 2007




- Black non-Hispanic persons newly diagnosed with HIV/AIDS.
 - Cumulative = 247 cases, 2006 = 4 cases, 2007 = 3

* Other includes: Brazil, Canada, Haiti, Jamaica, and Virgin Islands

HIV/AIDS Among Hispanic Persons by Country of Origin

Through June 2007



- Hispanic persons newly diagnosed with HIV/AIDS.
 - Cumulative = 454 cases, 2006 = 16 cases, 2007 = 8 cases

* Other includes Belize, Cambodia, Cuba, Dominican Republic, Kenya, and Spain

Prevent Protect Promote Prevent Protect Promote Prevent
Prevent Protect Promote Prevent Protect Promote Prevent
Prevent Protect Promote Prevent Protect Promote Prevent

THE END

